

# Hranicon 30

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 1/18/2019

Revision date: 2/12/2019

Version: 2.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Product name : Hranicon 30

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : For professional users only  
Use of the substance/mixture : Solvent-based adhesive

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

#### Distributor

Hranipex Czech Republic k.s.  
J. Rýznerové 97, Komorovice  
396 01 Humpolec - Czech Republic  
T 565 501 210  
[help@ecomole.com](mailto:help@ecomole.com) - [www.hranipex.cz](http://www.hranipex.cz)

#### Supplier

Hranipex Ltd.  
Unit 2 Radial Park, Birmingham Business Park  
Birmingham, B37 7YN, United Kingdom  
T 0121 767 9180 - F 0121 782 6250  
[hranipex@hranipex.co.uk](mailto:hranipex@hranipex.co.uk) - [www.hranipex.co.uk](http://www.hranipex.co.uk)

### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	
United Kingdom	National Poisons Information Service (Cardiff Centre) Gwenwyn Ward, Llandough Hospital	Penarth CF64 2XX Cardiff	0344 892 0111	
United Kingdom	National Poisons Information Service Edinburgh Royal Infirmary of Edinburgh	Little France Crescent EH16 4SA Edinburgh	0344 892 0111	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre, Wolfson Unit	Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle	0344 892 0111	
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA Belfast	0344 892 0111	

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 H225  
Serious eye damage/eye irritation, Category 2 H319  
Specific target organ toxicity — Single exposure, Category 3, Narcosis H336  
Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411

Full text of H statements : see section 16

#### Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. May cause drowsiness or dizziness. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.

# Hranicon 30

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 1/18/2019

Revision date: 2/12/2019

Version: 2.0

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02

GHS07

GHS09

Signal word (CLP)

: Danger

Hazardous ingredients

: acetone; ethyl acetate; Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane

Hazard statements (CLP)

: H225 - Highly flammable liquid and vapour.  
H319 - Causes serious eye irritation.  
H336 - May cause drowsiness or dizziness.  
H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P261 - Avoid breathing vapours.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P273 - Avoid release to the environment.  
P391 - Collect spillage.  
P403+P235 - Store in a well-ventilated place. Keep cool.

EUH-statements

: EUH066 - Repeated exposure may cause skin dryness or cracking.

## 2.3. Other hazards

Other hazards not contributing to the classification : The product does not meet the PBT and vPvB classification criteria.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane	(EC-No.) 926-605-8 (REACH-no) 01-2119486291-36-xxxx	40 - 50	Flam. Liq. 2, H225 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
acetone; propan-2-one; propanone	(CAS-No.) 67-64-1 (EC-No.) 200-662-2 (EC Index-No.) 606-001-00-8	20 - 30	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
ethyl acetate	(CAS-No.) 141-78-6 (EC-No.) 205-500-4 (EC Index-No.) 607-022-00-5 (REACH-no) 01-2119475103-46-XXXX	5 - 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact	: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Immediately rinse with water for a prolonged period while holding the eyelids wide open. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Drink plenty of water. Get medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after skin contact	: Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: Eye irritation.

# Hranicon 30

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 1/18/2019

Revision date: 2/12/2019

Version: 2.0

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Foam. Dry chemical powder.  
 Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour. The vapours are denser than air and may travel along the ground. Distance ignition possible.  
 Explosion hazard : Heating will cause a rise in pressure with a risk of bursting.  
 Hazardous decomposition products in case of fire : Carbon monoxide. Carbon dioxide. Other toxic gases. Do not breathe fumes from fires or vapours from decomposition.

### 5.3. Advice for firefighters

Firefighting instructions : On heating, there is a risk of bursting due to internal pressure build-up. Cool down the containers exposed to heat with a water spray. Use water spray/fog to disperse vapours below flammable limit. Prevent fire fighting water from entering the environment.  
 Protection during firefighting : Do not attempt to take action without suitable protective equipment. Normal equipment for firefighters i.e. fire kit (EN 469), gloves (EN 659) and boots (HO specification A29 and A30) in combination with breathing apparatus (EN 137).  
 Other information : Dispose of rinse water in accordance with local and national regulations.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear proper protective equipment.  
 Emergency procedures : Keep unprotected persons away. Eliminate every possible source of ignition. No open flames, no sparks, and no smoking. Stop leaks if it can be done without personal risk. Ventilate spillage area. Avoid contact with skin, eyes and clothing. Do not breathe vapours.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Do not allow product to spread into the environment. Do not allow material to contaminate ground water system.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect all waste in suitable and labelled containers and dispose according to local legislation. Ventilate spillage area.  
 Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Flammable vapours may accumulate in the container.  
 Precautions for safe handling : Use only outdoors or in a well-ventilated area. Handle and open the container with care. Do not use compressed air to transfer, discharge or transport the product. Comply with instructions for use (refer to technical sheet). Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing Vapours. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use only non-sparking tools. Ground/bond container and receiving equipment. Take precautionary measures against static discharge. Use explosion-proof equipment.  
 Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Take precautionary measures against static discharge.  
 Storage conditions : Store tightly closed in a dry, cool and well-ventilated place. Store away from direct sunlight or other heat sources. Store in original container. Store locked up.  
 Incompatible materials : Acids. Bases. Oxidising substances. Alkali metals. Aluminium. Fluorine.

### 7.3. Specific end use(s)

No additional information available

# Hranicon 30

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 1/18/2019

Revision date: 2/12/2019

Version: 2.0

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### acetone; propan-2-one; propanone (67-64-1)

EU	Local name	Acetone
EU	IOELV TWA (mg/m <sup>3</sup> )	1210 mg/m <sup>3</sup>
EU	IOELV TWA (ppm)	500 ppm
United Kingdom	Local name	Acetone
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	1210 mg/m <sup>3</sup>
United Kingdom	WEL TWA (ppm)	500 ppm
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	3620 mg/m <sup>3</sup>
United Kingdom	WEL STEL (ppm)	1500 ppm

#### Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane

##### DNEL/DMEL (Workers)

Long-term - systemic effects, dermal	13964 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	5306 mg/m <sup>3</sup>

##### DNEL/DMEL (General population)

Long-term - systemic effects, oral	1301 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	1131 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	1377 mg/kg bodyweight/day

### 8.2. Exposure controls

#### Appropriate engineering controls:

Provide adequate general and local exhaust ventilation. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

#### Personal protective equipment:

Avoid all unnecessary exposure. Wear proper protective equipment.

#### Materials for protective clothing:

Antistatic clothing

#### Hand protection:

Chemical resistant gloves (according to European standard EN 374 or equivalent). Category III

#### Eye protection:

Sealed safety goggles. EN 166

#### Skin and body protection:

When skin contact is possible, protective clothing including gloves, apron, sleeves, boots, head and face protection must be worn

#### Respiratory protection:

This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used

#### Environmental exposure controls:

Do not allow into drains or water courses.

#### Other information:

Protective equipment and clothing wash before reuse.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Viscous.
Colour	: Straw, Yellow.
Odour	: Solvent odour.

# Hranicon 30

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 1/18/2019

Revision date: 2/12/2019

Version: 2.0

Odour threshold	: No data available
pH	: 9.8
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: 90 °C
Flash point	: 19 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0.85
Solubility	: Insoluble.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 1200 mPa·s
Explosive properties	: No data available
It does not have oxidising properties	: No data available
Explosive limits	: No data available

## 9.2. Other information

VOC content : 75.7 % Directive 2010/75/EC

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Highly flammable liquid and vapour. In use, may form flammable/explosive vapour-air mixture.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No hazardous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Do not expose to heat. No flames, no sparks. Eliminate all sources of ignition. Avoid static electricity discharges.

### 10.5. Incompatible materials

Acids. Bases. Oxidising substances. Alkali metals. Aluminium. Fluorine.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

### Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane

LD50 oral rat	16750 mg/kg
LD50 dermal rat	> 3350 mg/kg
LC50 inhalation rat (ppm)	73860 ppm/4h

Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
Additional information	: Repeated exposure may cause skin dryness or cracking.
Serious eye damage/irritation	: Causes serious eye irritation. pH: 9.8
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)

# Hranicon 30

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 1/18/2019

Revision date: 2/12/2019

Version: 2.0

Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

## SECTION 12: Ecological information

### 12.1. Toxicity

Acute aquatic toxicity	: Not classified (Based on available data, the classification criteria are not met)
Chronic aquatic toxicity	: Toxic to aquatic life with long lasting effects.

#### ethyl acetate (141-78-6)

LC50 fish 1	230 mg/l
EC50 Daphnia 1	3090 mg/l

#### Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane

LC50 fish 1	12 mg/l OECD TG 203
EC50 Daphnia 1	17.06 mg/l Daphnia Magna
NOEC chronic fish	2.187 mg/l Oncorhynchus mykiss
NOEC chronic crustacea	3.818 mg/l Daphnia Magna
NOEC chronic algae	1.628 Pseudokirchnerella subcapitata

### 12.2. Persistence and degradability

#### Hranicon 30

Persistence and degradability	No additional information available.
-------------------------------	--------------------------------------

#### acetone; propan-2-one; propanone (67-64-1)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

#### ethyl acetate (141-78-6)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

#### Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

### 12.3. Bioaccumulative potential

#### Hranicon 30

Bioaccumulative potential	No additional information available.
---------------------------	--------------------------------------

#### acetone; propan-2-one; propanone (67-64-1)

BCF fish 1	3
Log Pow	-0.23

#### ethyl acetate (141-78-6)

BCF fish 1	30
Log Pow	0.68

### 12.4. Mobility in soil

#### Hranicon 30

Ecology - soil	No information available.
----------------	---------------------------

# Hranicon 30

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 1/18/2019

Revision date: 2/12/2019

Version: 2.0

## 12.5. Results of PBT and vPvB assessment

### Hranicon 30

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## 12.6. Other adverse effects

Additional information : Do not discharge into drains or the environment






## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Do not dispose of waste into sewer. Do not allow into drains or water courses.
Product/Packaging disposal recommendations	: Re-use, when possible. Beware of residues or vapours which remain in the drums. Handle uncleaned empty containers as full ones.
Additional information	: Do not remove as household garbage. To be disposed of as hazardous waste.
Ecology - waste materials	: Avoid release to the environment.
European List of Waste (LoW) code	: 08 04 09* - waste adhesives and sealants containing organic solvents or other dangerous substances

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
UN 1133	UN 1133	UN 1133	UN 1133	UN 1133
<b>14.2. UN proper shipping name</b>				
ADHESIVES	ADHESIVES	Adhesives	ADHESIVES	ADHESIVES
<b>Transport document description</b>				
UN 1133 ADHESIVES, 3, II, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 1133 ADHESIVES, 3, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	UN 1133 Adhesives, 3, II, ENVIRONMENTALLY HAZARDOUS	UN 1133 ADHESIVES, 3, II, ENVIRONMENTALLY HAZARDOUS	UN 1133 ADHESIVES, 3, II, ENVIRONMENTALLY HAZARDOUS
<b>14.3. Transport hazard class(es)</b>				
3	3	3	3	3
				
<b>14.4. Packing group</b>				
II	II	II	II	II
<b>14.5. Environmental hazards</b>				
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
No supplementary information available				

### 14.6. Special precautions for user

EmS-No. (Fire) : F-E

EmS-No. (Spillage) : S-D

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# Hranicon 30

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 1/18/2019

Revision date: 2/12/2019

Version: 2.0

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

#### 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

A chemical safety assessment has been carried out for the substance or the mixture by the supplier

## SECTION 16: Other information

### Indication of changes:

Composition/information on ingredients.  
All sections updated.

### Abbreviations and acronyms:

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
SDS	Safety Data Sheet
DNEL	Derived-No Effect Level
PNEC	Predicted No-Effect Concentration
LC50	Median lethal concentration
LD50	Median lethal dose
EC50	Median effective concentration
BCF	Bioconcentration factor
NOEC	No-Observed Effect Concentration
PBT	Persistent Bioaccumulative Toxic
vPvB	Very Persistent and Very Bioaccumulative
STP	Sewage treatment plant

Data sources : Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013.  
Dissemination portal ECHA <https://echa.europa.eu/cs/search-for-chemicals>.  
SDS UNIPREN 1040, Date 07.02.2019., Version 2.0.

Training advice : Provide SDS to employees. Follow general rules on handling chemical substances and/or mixtures. Normal use of this product shall imply use in accordance with the instructions on the packaging.

Other information : SDS was treated by EcoMole LTD. [www.ecomole.com](http://www.ecomole.com).

### Full text of H- and EUH-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1



# Hranicon 30

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 1/18/2019

Revision date: 2/12/2019

Version: 2.0

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

## Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Flam. Liq. 2	H225	On basis of test data
Eye Irrit. 2	H319	Calculation method
STOT SE 3	H336	Calculation method
Aquatic Chronic 2	H411	Calculation method

SDS EU (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*